

Table 7.6.6 Piping Technical Specification at Montreal Terminal

Diameter (mm/in)	304.8 (12)		406.4 (16)	508 (20)	609.6 (24)		762 (30)		
Wall Thickness (mm)	9.52	9.52	9.52	9.52	9.52	9.52	9.52	12.7	15.9
Grade (MPa)	CSA Z245.1 CAT. 1 Gr. 241	CSA Z245.1 CAT. 1 Gr. 241	CSA Z245.1 CAT. 1 Gr. 241	CSA Z245.1 CAT. 1 Gr. 241	CSA Z245.1 CAT. 1 Gr. 241	CSA Z245.1 CAT. 1 Gr. 290	CSA Z245.1 CAT. 1 Gr. 241	CSA Z245.1 CAT. 1 Gr. 290	CSA Z245.1 CAT. 1 Gr. 448
Piping Length (m)	100	200	20	80 <u>200</u>	120	10	20	160	20
Coating	Epoxy Primer & Urethane Topcoat (above grade) & Polymer Coating (below grade)								
MOP (kPag)	1,896	4,964	4,964	4,964	1,896	4,964	1,896	4,964	9,930